
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING														
APPLICATION FOR PERMIT TO DRILL										1. WELL NAME and NUMBER GMBU V-2-9-17				
2. TYPE OF WORK DRILL NEW WELL (REENTER P&A WELL) DEEPEN WELL)								3. FIELD OR WILDCAT EIGHT MILE FLAT						
4. TYPE OF WELL Oil Well Coalbed Methane Well: NO									5. UNIT or COMMUNITIZATION AGREEMENT NAME GMBU (GRRV)					
6. NAME OF OPERATOR NEWFIELD PRODUCTION COMPANY										7. OPERATOR PHONE 435 646-4825				
8. ADDRESS OF OPERATOR Rt 3 Box 3630 , Myton, UT, 84052									9. OPERATOR E-MAIL mcrozier@newfield.com					
10. MINERAL LEASE NUMBER 11. MINERAL OWNERSHIP										12. SURFACE OWNERSHIP				
(FEDERAL, INDIAN, OR STATE) UTU-79013 FEDERAL INDIAN) STATE () FEE(2	FEDERAL INDIAN STATE FEE				
13. NAME OF SURFACE OWNER (if box 12 = 'fee')									14. SURFACE OWNER PHONE (if box 12 = 'fee')					
15. ADDRESS OF SURFACE OWNER (if box 12 = 'fee')									16. SURFACE OWNER E-MAIL (if box 12 = 'fee')					
	N ALLOTTEE O	R TRIBE NAME			B. INTEND TO COMMINGLE PRODUCTION FROM ULTIPLE FORMATIONS					19. SLANT				
(II box 12	= 'INDIAN')				YES (Submit Commingling Application) NO					VERTICAL DIRECTIONAL HORIZONTAL				
20. LOC	TION OF WELL	-		FOOT	AGES	GES QTR		TR SECTION		TOWNSHIP	RANGE	МЕ	RIDIAN	
LOCATIO	N AT SURFACE		7	31 FNL	488 FEL	488 FEL NENE		11		9.0 S	17.0 E		S	
Top of Uppermost Producing Zone 306 FNL				996 FEL	NENE		11		9.0 S	17.0 E		S		
At Total Depth 162 FSL				1523 FEL	3 FEL SWSE		2		9.0 S	17.0 E		s		
21. COUN	TY	UINTAH		22	22. DISTANCE TO NEAREST LEASE LINE (Feet) 162				23. NUMBER OF ACRES IN DRILLING UNIT					
				DISTANCE TO NEAREST WELL IN SAME POOL oplied For Drilling or Completed) 956				26. PROPOSED DEPTH MD: 6244 TVD: 6065						
27. ELEV	ATION - GROUN	ID LEVEL		28	8. BOND NUMBER					29. SOURCE OF DRILLING WATER / WATER RIGHTS APPROVAL NUMBER IF APPLICABLE				
		5022			WYB000493					437478				
Ctuina	Hala Sina	Casina Sina	Longth	\A/a:a:b	Hole, Casing,					Comont	Casks	Viola	Maiaht	
String Surf	Hole Size	Casing Size 8.625	0 - 300	Weigh 24.0			Max Mu 8.3			Cement Class G	Sacks 138	Yield 1.17	Weight 15.8	
Prod	7.875	5.5	0 - 6244	15.5			8.3		Prer	nium Lite High Strength		3.26	11.0	
										50/50 Poz	363	1.24	14.3	
					A	TTACH	HMENTS							
	VER	VIEV THE FOLLO	WING ARE A	TTACHE	ED IN ACCOPDAN	CE WI	TH THE LIT		ID GAS	CONSERVATION GEN	EDAL DILLES			
VERIFY THE FOLLOWING ARE ATTACHED IN ACCORDANCE WITH THE UTAH OIL AND GAS CONSERVATION GENERAL RULES														
WELL PLAT OR MAP PREPARED BY LICENSED SURVEYOR OR ENGINEER						COMPLETE DRILLING PLAN								
AFFIDAVIT OF STATUS OF SURFACE OWNER AGREEMENT (IF FEE SURFACE)					FORM 5. IF OPERATOR IS OTHER THAN THE LEASE OWNER									
I DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY DRILLED)					TOPOGRAPHICAL MAP									
NAME Mandie Crozier TITLE				TITLE Regulatory 1	TITLE Regulatory Tech			РНО	PHONE 435 646-4825					
SIGNATURE				DATE 03/01/2012				ЕМА	EMAIL mcrozier@newfield.com					
API NUMBER ASSIGNED 43047524030000				APPROVAL			Pe	Described Permit Manager						
i .														




NEWFIELD EXPLORATION COMPANY

WELL LOCATION, V-2-9-17, LOCATED AS SHOWN IN THE NE 1/4 NE 1/4 OF SECTION 11, T9S, R17E, S.L.B.&M. UINTAH COUNTY, UTAH.



NOTES:

- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Center of Pattern footages are 30' FNL & 1300' FEL.



TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

DATE SURVEYED: 09-07-11	SURVEYED BY: S.V.	VERSION:		
DATE DRAWN: 11-08-11	DRAWN BY: F.T.M.	\ / ()		
REVISED:	SCALE: 1" = 1000'	V Z		

T9S, R17E, S.L.B.&M. N89°58'E (G.L.O.) N89°20'42"E - 2642.20' (Meas.) N89°26'15"E - 2647.78' (Meas.) 1910 1910 Brass Brass Cap Brass Cap Сар (Meas., Lot 4 Lot 3 Lot 1 Lot 2 87, 2678. NOTES: 500.54,29 (C.L.O.) (6.1.0)52 80. 1910 Brass Cap Brass Cap S0.30,E S0.07,E (Meas.) (Meas. TARGET BOTTOM HOLE: V-2-9-17 2640.67 2639. S00°53′52″E 500.23,10 Bottom of Hole 1523 1910 Rebar Brass Cap Brass Cap 294 07 2644.46' (Meas. S89°02'11"W - 2644.21' (Meas.) S89°03'57"W N89°59'W - 80.50 (G.L.O.) Center of Pattern BASIS OF ELEV: Elevations are based on Top an N.G.S. OPUS Correction. LOCATION: of Hole LAT. 40°04'09.56" LONG. 110°00'43.28" (Tristate Aluminum Cap) Elev. 5281.57'

NEWFIELD EXPLORATION COMPANY

TARGET BOTTOM HOLE, V-2-9-17, LOCATED AS SHOWN IN THE SW 1/4 SE 1/4 OF SECTION 2, T9S, R17E, S.L.B.&M. UINTAH COUNTY, UTAH.



- 1. Well footages are measured at right angles to the Section Lines.
- 2. Bearings are based on Global Positioning Satellite observations.
- 3. The Bottom of Hole footages are 162' FSL & 1523' FEL.

= SECTION CORNERS LOCATED

THIS IS TO CERTIFY THATOPHE ABOVE PROJECT WAS PREPARED FROM FIELD FOR THE SURVEYS MADE BY ME OR UNDER ANY SUPPOSSION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE ON BEING. 189377 11-11-11 STACY W. BEGISTRA ON NO. STATE OF STAME OF STATE OF STAME OF STAME OF STATE OF STAME OF ST

TRI STATE LAND SURVEYING & CONSULTING

180 NORTH VERNAL AVE. - VERNAL, UTAH 84078 (435) 781-2501

	` '	
DATE SURVEYED: 09-07-11	SURVEYED BY: S.V.	VERSION:
DATE DRAWN: 11-08-11	DRAWN BY: F.T.M.	\/?
REVISED:	SCALE: $1" = 1000'$	V Z